Dear patient,



Please be aware that today's BioTe pellet insertion procedure allows only for the fulfillment of the aforementioned procedure, and <u>does not</u> allow for the discussion of *medications*, *refills*, *or other medical problems* such as would be addressed during a **regular office visit**.

Due to your provider's limited time, and as a courtesy to your fellow patients, please *inquire at check-out* if there are any same-day appointment slots available, should you require any further services.

In short, the BioTe procedure does not count as a regular office visit, nor is it billed as one. As a result, we are <u>prohibited</u> from providing any services typically rendered during a normal office visit. However, you are welcome to inquire at our check-out desk about a same-day appointment to address any immediate medical needs.

-Perisseia Primary Care and Wellness

Please note: <u>a cancellation fee of \$100</u> will be incurred for any procedures cancelled within a 24-hour window <u>prior to the scheduled appointment time</u>.

\*By signing below, you (the patient/representative) hereby signify that you understand and agree with the policies of Perisseia Primary Care and Wellness which have been outlined above:

Data of signature

Patient/representative sign

Date of signature



## **Female** Testosterone and/or Estradiol Pellet Insertion Consent Form

Name:			Today	's Date:	
(Last) Bio-identical hormone pellets ar to menopause. Estrogen and tes have the same effects on your fluctuations (ups and downs) of	tosterone were made in yo body as your own estrog	our ovaries and adi	enal gland prior to	menopause. Bio	o-identical hormones
Bio-identical hormone pellets ar pellet method of hormone repla States. You will have similar risks	cement has been used in	Europe and Canad	la for many years	and by select OB	3/GYNs in the United
Patients who are pre-menopaus therapy. Testosterone is categor					ormone replacement
My birth control method is: (ple Abstinence Birth control		) Menopause	Tubal ligation	Vasectomy	Other
consent for treatment: I commay experience any of the comtraditional testosterone and/or included in the list of overall risk	plications to this procedu estrogen replacement. Su	re as described be	low. These side e	ffects are similar	r to those related to
Bleeding, bruising, swelling, infeatsorption); breast tenderness a face, similar to pre-menopaus (endometrial cancer, breast cancalready present; change in voic receive can aggravate fibroids of and hematocrit, or thicken on (Hemoglobin & Hematocrit) should be absorbed in the same of the same	and swelling especially in the alpatterns; water retention; cer); birth defects in babies e (which is reversible); clion r polyps, if they exist, and e's blood. This problem	ne first three week ion (estrogen onl s exposed to testos toral enlargement can cause bleeding can be diagnosed	s (estrogen pellets y); increased grow sterone during the (which is reversib g. Testosterone the with a blood te	s only); increase in wth of estrogen ir gestation; grow ole). The estradion erapy may increa st. Thus, a co	in hair growth on the dependent tumors with of liver tumors, if of dosage that I may se one's hemoglobin mplete blood count
BENEFITS OF TESTOSTERONE F strength and stamina. Decrease Decreased weight. Decrease in dementia	d frequency and severity	of migraine heada	ches. Decrease in	mood swings, ar	nxiety and irritability.
I have read and understand the therapy. All of my questions had and or estrogen therapy that we to me and I have been informed risks and benefits and I consent pellet insertions.	ave been answered to my seed on this to do not yet know, at this to d that I may experience co	satisfaction. I furth ime, and that the i mplications, includ	er acknowledge this isks and benefits of ling one or more o	nat there may be of this treatment of those listed at	risks of testosterone have been explained bove. I accept these
I understand that payment is du insurance company for possible to be a covered benefit and m provider has no contracts with a company or answer letters of ap	reimbursement. I have be y insurance company may any insurance company and	en advised that m not reimburse m	ost insurance com e, depending on (	panies do not co my coverage. I a	nsider pellet therapy cknowledge that my
Print Name	Signature				ay's Date

A significant hormonal transition will occur in the first four weeks after the insertion of your hormone pellets. Therefore, certain changes might develop that can be bothersome.

- FLUID RETENTION: Testosterone stimulates the muscle to grow and retain water, which may result in a weight change of two to five pounds. This is only temporary. This happens frequently with the first insertion, and especially during hot, humid weather conditions.
- SWELLING OF THE HANDS & FEET: This is common in hot and humid weather. It may be treated by drinking lots of water, reducing your salt intake, taking cider vinegar capsules daily, (found at most health and food stores) or by taking a mild diuretic, which the office can prescribe.
- UTERINE SPOTTING/BLEEDING: This may occur in the first few months after an insertion, especially if you have been prescribed progesterone and are not taking properly: i.e. missing doses, or not taking a high enough dose. Please notify the office if this occurs. Bleeding is not necessarily an indication of a significant uterine problem. More than likely, the uterus may be releasing tissue that needs to be eliminated. This tissue may have already been present in your uterus prior to getting pellets and is being released in response to the increase in hormones.
- MOOD SWINGS/IRRITABILITY: These may occur if you were quite deficient in hormones. They will disappear when enough hormones are in your system. 5HTP can be helpful for this temporary symptom and can be purchased at many health food stores.
- FACIAL BREAKOUT: Some pimples may arise if the body is very deficient in testosterone. This lasts a short period of time and can be handled with a good face cleansing routine, astringents and toner. If these solutions do not help, please call the office for suggestions and possibly prescriptions.
- HAIR LOSS: Is rare and usually occurs in patients who convert testosterone to DHT. Dosage adjustment generally reduces or eliminates the problem. Prescription medications may be necessary in rare cases.
- HAIR GROWTH: Testosterone may stimulate some growth of hair on your chin, chest, nipples and/or lower abdomen. This tends to be hereditary. You may also have to shave your legs and arms more often. Dosage adjustment generally reduces or eliminates the problem.

Print Name	Signature	Today's Date	

I acknowledge that I have received a copy and understand the instructions on this form.

#### **Post-Insertion Instructions for Women**

- Your insertion site has been covered with two layers of bandages. Remove the outer pressure bandage any time after 3<sup>rd</sup> day. It **MUST** be removed as soon as possible if it gets wet. You may replace it with a bandage to catch any anesthetic that may ooze out. The inner layer is steri-strips. They should not be removed before 6 to 7 days after procedure.
- We recommend putting an ice pack on the insertion area a couple of times for about 20 minutes each time over the next 4 to 5 hours.
- Do not take tub baths or get into a hot tub or swimming pool for **3 days**. You may shower but do not scrub the site until the incision is well healed (about 7 days).
- No major exercises for the incision area for the next 3 days, this includes running, riding a horse, etc.
- The sodium bicarbonate in the anesthetic may cause the site to swell for 1-3 days.
- The insertion site may be uncomfortable for up to 2 to 3 weeks. If there is itching or redness you may take Benadryl for relief, 50 mg. orally every 6 hours. Caution this can cause drowsiness!
- You may experience bruising, swelling, and/or redness of the insertion site which may last from a few days up to 2 to 3 weeks.
- You may notice some pinkish or bloody discoloration of the outer bandage. This is normal.
- If you experience bleeding from the incision, apply firm pressure for 5 minutes.
- Please call if you have any bleeding not relieved with pressure (not oozing), as this is NOT normal.
- Please call if you have any pus coming out of the insertion site, as this is NOT normal.

#### Reminders:

- Remember to go for your post-insertion blood work **5-6 weeks** after the insertion.
- Most women will need re-insertions of their pellets 4-5 months after their initial insertion.
- Please call as soon as symptoms that were relieved from the pellets start to return to make an appointment for a re-insertion. The charge for the second visit will only be for the insertion and not a consultation.

tional instructions:		
I acknowledge that I have re	eceived a copy and understand the instructions on	ı this form.
Print Name	Signature	Today's Dat



# Hormone Replacement Fee Acknowledgment

BioTE® Medical Hormone Replacement Therapy is an out-of-pocket cost. You will be responsible for payment in full at the time of your procedure.

# Payment MUST be made prior to pellet procedure:

Female Hormone Pellet Insertion Fee	\$350
Male Hormone Pellet Insertion Fee	\$650
Male Pellet Insertion Fee (≥2000mg)	\$700

## We accept the following forms of payment:

Major Credit Card, Health Savings Account (HSA), Personal Checks and Cash, BioTE Plan



#### REQUEST TO RESTRICT DISCLOSURE TO HEALTH PLAN

{Authorized by Section 13405(a) of the HITECH Act}

I request that Perisseia Primary Care and Wellness (the "Practice") not disclose my protected health information (PHI) to my health plan or other third party insurance carrier. Pursuant to Section 13405(a) of the HITECH Act, I understand I have the right to request restrictions on whether the Practice discloses my protected health information (PHI) with my health plan and the Practice is required to agree to my request unless the information is required to be disclosed to my health plan to comply with the law.

The records of the restricted services/items listed below ("Restricted Services/Items") will not be released or billed to my health plan or other third party insurance carrier for the purposes of payment or health care operations. I understand I am financially responsible for these Restricted Services/Items and will pay out-of-pocket, in full, at the time of service in order for the Practice to accept this restriction request.

# 

#### **INSURANCE DISCLAIMER**

Preventative medicine and bio-identical hormone replacement is a unique practice and is considered a form of alternative medicine. Even though the physicians and nurses are board certified as Medical Doctors and RN's or NP's, insurance does not recognize it as necessary medicine BUT is considered like plastic surgery (esthetic medicine) and therefore is not covered by health insurance in most cases.

BioTE Medical, LLC is not associated with any insurance companies, which means the insurance companies are not obligated to pay for these services (blood work, consultations, insertions, or pellets). We require payment at time of service and, if you choose, we will provide a form to send to your insurance company and a receipt showing that you paid out of pocket. WE WILL NOT, however, communicate in any way with insurance companies.

The form and receipt are your responsibility and serve as evidence of your treatment. We will not call, write, pre-certify, or make any contact with your insurance company. Any follow up letters from your insurance company to us will be thrown away. If we receive a check from your insurance company, we will not cash it, but instead return it to the sender. Likewise, we will not mail it to you. We will not respond to any letters or calls from your insurance company.

For patients who have access to a Health Savings Account, you may pay for your treatment with that credit or debit card. This is the best idea for those patients who have a HSA as an option in their medical coverage.

Printed Name:	
	Date:
Signature:	



# PAP and Transvaginal Ultrasound Waiver for Testosterone and/or Estradiol Pellet Therapy

I,, voluntarily choose to undergo implantation o
subcutaneous bio-identical testosterone and/or estradiol pellet therapy.
( ) For today's appointment I DO NOT have a PAP Smear for the following reason:
<ul> <li>( ) My decision not to have one.</li> <li>( ) Unable to provide the report at this time.</li> <li>( ) My doctor's decision not to have one. Please provide a note from your treating physician with their rationale as to why they don't want you to have a PAP Smear.</li> </ul>
( ) For today's appointment I DO NOT have a Transvaginal Ultrasound for the following reason:
<ul> <li>( ) My decision not to have one.</li> <li>( ) Unable to provide the report at this time.</li> <li>( ) My doctor's decision not to have one. Please provide a note from your treating physician with their rationale as to why they don't want you to have a Transvaginal Ultrasound.</li> </ul>
I am aware that a current report must be sent by mail or faxed to our office prior to my next HRT appointment. The Treating Provider has discussed the importance and necessity of a Pap smear and/or Transvaginal Ultrasound since I receive testosterone and/or estradiol(initials of patient)
I have assessed this risk on a personal basis, and my perceived value of the hormone therapy outweighs the risk in my mind. I am, therefore, choosing to undergo the pellet therapy despite the potential risk that I was informed of by my Treating Provider.
I understand that my refusal to submit to a Pap smear and/or Transvaginal Ultrasound may result in cancer remaining undetected within my body. I acknowledge that I bear full responsibility for any personal injury or illness, accident, risk or loss (including death and/or cervical, endometrial and/or ovarian cancer issues) that may be sustained by me in connection with my decision to not have a PAP Smear and/or Transvaginal Ultrasound and undergo testosterone and/or estradiol pellet therapy including, without limitation, any cancer that should develop in the future, whether it be deemed a stimulation of a current cancer or a new cancer. I hereby release and agree to hold harmless Dr. Donovitz, Treating Provider, BioTE® Medical, LLC., and any of their BioTE® Medical physicians, nurses, officers, directors, employees and agents from any and all liability, claims, demands and actions arising or related to any loss, property damage, illness, injury or accident that may be sustained by me as a result of testosterone and/or estradiol pellet therapy.
I acknowledge and agree that I have been given adequate opportunity to review this document and to ask questions. This release and hold harmless agreement is and shall be binding on myself and my heirs, assigns and personal representatives.

Signature

Today's Date

**Patient Print Name** 



## Mammogram Waiver for Testosterone and/or Estradiol Pellet Therapy

mammogram. I und replacement in my estradiol could possi	erone and/or estradiol pellet t lerstand that such therapy is co case is contraindicated. My Trea ibly cause cancer, or stimulate ex	untarily choose to undergo implantation of subcutar therapy, even though I am not current on my yontroversial and that many doctors believe that est ating Provider has informed me it is possible that taxisting breast cancer (including one that has not yet or other cancer could develop while on pellet therapy	yearly radio aking beer
For today's appointn	nent I DO NOT have a mammogra	am for the following reason:	
( ) My doctor's decis	e the report at this time.	vide a note from your treating physician with their mmogram.	
The Treating Provid		l or faxed to our office prior to my next HRT appointmence and necessity of a mammogram since I renitials of patient)	
	n, therefore, choosing to underg	y perceived value of the hormone therapy outweigh go the pellet therapy despite the potential risk that	
that my refusal to sur acknowledge that I is death and/or breast, not have a mammo limitation, any cance cancer or a new cance Medical, LLC., and ar from any and all liabi	bmit to a mammogram test may plear full responsibility for any pluterine or cancer issues) that mappers and undergo testosterous that should develop in the futer. I hereby release and agree that of their BioTE® Medical physility, claims, demands and actions	method for detection of early breast cancer. I underso result in cancer remaining undetected within my be personal injury or illness, accident, risk or loss (including be sustained by me in connection with my decisione and/or estradiol pellet therapy including, with uture, whether it be deemed a stimulation of a cut to hold harmless Dr. Donovitz, Treating Provider, Bisicians, nurses, officers, directors, employees and against a stimulation of a cut to hold harmless Dr. Donovitz, Treating Provider, Bisicians, nurses, officers, directors, employees and against a stimulation of a cut to hold harmless Dr. Donovitz, Treating Provider, Bisicians, nurses, officers, directors, employees and against a stimulation of a cut to hold harmless Dr. Donovitz, Treating Provider, Bisicians, nurses, officers, directors, employees and against the state of testosterone and/or estradiol pellet therap	ody. I uding on to thout rrent ioTE® gents ness,
	e and hold harmless agreement	equate opportunity to review this document and to is and shall be binding on myself and my heirs, as	
İ		Dations Duling Name	
<del></del>	Signature	Patient Print Name	